


index



21

Profesyonel İskele Sistemleri

Professional Scaffolding Systems

Gerüstsysteme

Systèmes d'échafaudage

Sistemas de Andamiaje

Строительные вышки-туры



13

Sanayi Tipi Merdivenler

Industrial Ladders

Industrietyp Treppen

Échelles de Type Industriel

Escaleras Industriales

Промышленные лестницы



20

Profesyonel Kullanım Amaçlı Merdivenler

Professional Duty Ladders

Treppen für den Professionellen Gebrauch

Échelles à Usage Professionnel

Escaleras de Uso Profesional

Профессиональные служебные лестницы



48

Ev/Ofis Kullanım Amaçlı Merdivenler


Domestic Ladders

Treppen Für Den Gebrauch Im Haus Und Büro

Escabeau à Usage Domestique

Escaleras de Uso Doméstico

Бытовые (домашние) лестницы



53



Certificate
EN 131
Norm



Certificate
EN 131-4
Norm



Certificate
EN 131-7
Norm



Certificate
EN 1004
Norm







Certificate
EN 131
Norm



Certificate
EN 1004
Norm


ISO 9001:2015
ISO 10002:2014
ISO 14001:2015
ISO 45001:2018








Certificate
EN 1004
Norm



LN530_(240)



	A (m.)	B (m.)	C (m.)	DxE (cm.)	FxG (cm.)	kg
LN230_(240)	2,3	3,73	4,3	255x135	518x398	158
LN320_(240)	3,2	4,64	5,2	255x135	518x398	165
LN440_(240)	4,4	5,84	6,4	255x135	518x398	213
LN530_(240)	5,3	6,74	7,3	255x135	518x398	220
LN650_(240)	6,5	7,94	8,5	255x135	518x398	268
LN740_(240)	7,4	8,85	9,4	255x135	518x398	275
LN860_(240)	8,6	10,05	10,6	255x135	518x398	324
LN950_(240)	9,5	10,96	11,5	255x135	518x398	331
LN1070_(240)	10,7	12,16	12,7	255x135	518x398	379
LN1160_(240)	11,6	13,06	13,6	255x135	518x398	386

		LN230 240	LN320 240	LN440 240	LN530 240	LN650 240	LN740 240	LN860 240	LN950 240	LN1070 240	LN1160 240
PT200TE		4	4	4	4	4	4	4	4	4	4
PTL132M		2	-	2	-	2	-	2	-	2	-
PT259Y		2	2	2	2	2	2	2	2	2	2
PTLS259GN		4	4	6	6	8	8	10	10	12	12
PT223M		2	4	4	6	6	8	8	10	10	12
PT276PA		4	4	4	4	4	4	4	4	4	4
PT258KPN		2	2	3	3	4	4	5	5	6	6
PT302TM		1	1	1	1	1	1	1	1	1	1









Certificate
EN 1004
Norm



LN530_180



	A (m.)	B (m.)	C (m.)	DxE (cm.)	FxG (cm.)	kg
LN230_180	2,3	3,73	4,3	196x135	459x398	141
LN320_180	3,2	4,64	5,2	196x135	459x398	148
LN440_180	4,4	5,84	6,4	196x135	459x398	189
LN530_180	5,3	6,74	7,3	196x135	459x398	196
LN650_180	6,5	7,94	8,5	196x135	459x398	238
LN740_180	7,4	8,85	9,4	196x135	459x398	245
LN860_180	8,6	10,05	10,6	196x135	459x398	286
LN950_180	9,5	10,96	11,5	196x135	459x398	293
LN1070_180	10,7	12,16	12,7	196x135	459x398	334
LN1160_180	11,6	13,06	13,6	196x135	459x398	342

		LN230 180	LN320 180	LN440 180	LN530 180	LN650 180	LN740 180	LN860 180	LN950 180	LN1070 180	LN1160 180
PT200TE		4	4	4	4	4	4	4	4	4	4
PTL132M		2	-	2	-	2	-	2	-	2	-
PTF182Y		2	2	2	2	2	2	2	2	2	2
PTF200GN		4	4	6	6	8	8	10	10	12	12
PT223M		2	4	4	6	6	8	8	10	10	12
PT276PA		4	4	4	4	4	4	4	4	4	4
PTF183KPN		2	2	3	3	4	4	5	5	6	6
PT240TM		1	1	1	1	1	1	1	1	1	1





Certificate


EN 1004

Norm

60 cm

240 cm

SN530_(240)



MAX.
2.0 kN/m²


	A (m.)	B (m.)	C (m.)	DxE (cm.)	FxG (cm.)	kg
SN230_(240)	2,3	3,73	4,3	255x73	518x336	127
SN320_(240)	3,2	4,64	5,2	255x73	518x336	132
SN440_(240)	4,4	5,84	6,4	255x73	518x336	176
SN530_(240)	5,3	6,74	7,3	255x73	518x336	182
SN650_(240)	6,5	7,94	8,5	255x73	518x336	226
SN740_(240)	7,4	8,85	9,4	255x73	518x336	231
SN860_(240)	8,6	10,05	10,6	255x73	518x336	276
SN950_(240)	9,5	10,96	11,5	255x73	518x336	281
SN1070_(240)	10,7	12,16	12,7	255x73	518x336	326
SN1160_(240)	11,6	13,06	13,6	255x73	518x336	331

		SN230 240	SN320 240	SN440 240	SN530 240	SN650 240	SN740 240	SN860 240	SN950 240	SN1070 240	SN1160 240
PT200TE		4	4	4	4	4	4	4	4	4	4
PTSF132M		2	-	2	-	2	-	2	-	2	-
PT259Y		2	2	2	2	2	2	2	2	2	2
PTLS259GN		4	4	6	6	8	8	10	10	12	12
PTS223M		2	4	4	6	6	8	8	10	10	12
PT276PA		4	4	4	4	4	4	4	4	4	4
PT258KPN		1	1	2	2	3	3	4	4	5	5
PTS302TM		1	1	1	1	1	1	1	1	1	1








Certificate
EN 1004
Norm



SN530_(180)



	A (m.)	B (m.)	C (m.)	DxE (cm.)	FxG (cm.)	kg
SN230_(180)	2,3	3,73	4,3	196x73	459x336	116
SN320_(180)	3,2	4,64	5,2	196x73	459x336	121
SN440_(180)	4,4	5,84	6,4	196x73	459x336	158
SN530_(180)	5,3	6,74	7,3	196x73	459x336	164
SN650_(180)	6,5	7,94	8,5	196x73	459x336	201
SN740_(180)	7,4	8,85	9,4	196x73	459x336	206
SN860_(180)	8,6	10,05	10,6	196x73	459x336	244
SN950_(180)	9,5	10,96	11,5	196x73	459x336	249
SN1070_(180)	10,7	12,16	12,7	196x73	459x336	287
SN1160_(180)	11,6	13,06	13,6	196x73	459x336	292

		SN230 180	SN320 180	SN440 180	SN530 180	SN650 180	SN740 180	SN860 180	SN950 180	SN1070 180	SN1160 180
PT200TE		4	4	4	4	4	4	4	4	4	4
PTSF132M		2	-	2	-	2	-	2	-	2	-
PTF182Y		2	2	2	2	2	2	2	2	2	2
PTF200GN		4	4	6	6	8	8	10	10	12	12
PTS223M		2	4	4	6	6	8	8	10	10	12
PT276PA		4	4	4	4	4	4	4	4	4	4
PTF183KPN		1	1	2	2	3	3	4	4	5	5
PTF180TM		1	1	1	1	1	1	1	1	1	1






FN180_(180)



Certificate
EN 1004
Norm



60x180cm





FN96_(180)



FN180_(180)



FN96_(180)




MAX.
2.0 kN/m²

	A (m.)	B (m.)	C (m.)	DxE (cm.)	FxG (cm.)	kg
FN96_(180)	0,96	1,96	2,96	196x73	248x125	54
FN180_(180)	1,86	3,28	3,86	196x73	248x125	75


		FN96	FN180
PT125TE		4	4
PTF192M		1	1
PTF182Y		3	1
PTF202C		-	1
PT276PA		-	-
PTF183KPN		1	1
PTF180TM		1	1
PTSF132M		-	2
PTF200GN		-	2
PT18C		-	4
PTSF223M		-	-
PT50PA		4	4



Certificate
EN 1004
Norm





60x180cm



FN600_(180)



FN390_(180)



FN390

FN600

		FN390	FN600
PT125TE		4	4
PTF192M		1	1
PTF182Y		1	1
PTF202C		1	1
PT276PA		4	4
PTF183KPN		2	3
PTF180TM		1	1
PTSF132M		2	2
PTF200GN		4	6
PT18C		4	16
PTS223M		2	4
PT50PA		-	-




	A (m.)	B (m.)	C (m.)	DxE (cm.)	FxG (cm.)	kg
FN390_(180)	3,96	5,39	5,96	196x73	444x321	131
FN600_(180)	6,07	7,5	8,07	196x73	444x321	178



Certificate
EN 1004
Norm



ProTUBE		L4_FP	L6_FP	L8_FP	L10_FP	L12_FP	L14_FP
	PT223M	2	4	6	6	10	10
	PT163M	-	-	-	2	-	2
	PT110K	2	2	2	2	2	2
	PT258KP	1	1	2	2	3	3
	PT258K	1	1	2	2	3	3
	PT275C	4	8	12	16	20	24
	PT259H	2	2	2	2	2	2
	PT259Y	2	2	2	2	2	2
	PT276PA	-	4	4	4	4	4
	PT200TE	4	4	4	4	4	4
	PT302TM	1	1	1	1	1	1



	A (m.)	B (m.)	C x D (m.)	(kg.)
ProTUBE L4_FP	2,3	4,1	135x256	124
ProTUBE L6_FP	4,4	6,2	135x256-400x500	169
ProTUBE L8_FP	6,5	8,3	135x256-400x500	234
ProTUBE L10_FP	8,0	9,8	135x256-400x500	257
ProTUBE L12_FP	10,7	12,5	135x256-400x500	328
ProTUBE L14_FP	12,0	13,8	135x256-400x500	352




Profesyonel İskele Sistemleri
Professional Scaffolding Systems
Professionale Gerüstsysteme
Échafaudage en Aluminium
Andamios de aluminio profesional
Профессиональная алюминиевая вышка-тура






Certificate
EN 1004
Norm




ProTUBE		S4	S6	S8	S10
	PTS223M	2	4	6	8
	PTS110K	2	2	2	2
	PT258KP	1	1	2	2
	PT275C	4	8	12	16
	PT259H	2	2	2	2
	PT259Y	2	2	2	2
	PT276PA	-	4	4	4
	PT200TE	4	4	4	4
	PTS302TM	1	1	1	1






	A (m.)	B (m.)	C x D (m.)	(kg.)
ProTUBE S4	2,3	4,1	74x256	93
ProTUBE S6	4,4	6,2	74x256	132
ProTUBE S8	6,5	8,3	74x256	174
ProTUBE S10	8,6	10,4	74x256	197



A
B
C
D

60x240 cm
MAX. 2,0 kN/m²

13




Certificate
EN 1004
Norm




F360



F180

F90



60x180 cm

MAX.
2.0 kN/m²

ProTUBE		F90	F180	F360
	PTF223M	1	1	1
	PTF223ME	-	-	2
	PTS110K	-	2	2
	PTF183KP	1	1	1
	PTF202C	-	1	5
	PTF182H	-	2	2
	PTF182Y	-	1	1
	PT276PA	-	-	4
	PT125TE	4	4	4
	PTF180TM	-	1	1
	PT18C	-	4	8

	A (m.)	B (m.)	C (m.)	(kg.)
F90	1,95	0,94	2,74	38
F180	3,06	1,84	3,64	63
F360	4,86	3,65	5,45	99



İki Parçalı İskele XLN-PR

Double Part Scaffolding XLN-PR

Échafaudage à deux plans XLN-PR

Zweiteiliges Gerüst XLN-PR

Andamios de Dos Piezas XLN-PR

Телескопическая вышка-тура из двух модулей XLN-PR

TeleSafe
PREMIUM XL



Certificate
EN 1004
Norm



S006 XLN PR




60x155 cm



A



A1



C

B



D



E



F




		A (m.)	A1 (m.)	C (m.)	B (m.)	(kg.)	D (cm.)	E (cm.)	F (cm.)
S004 XLN PR	2x8	2,50	3,90	2,75	4,55	100,8	125-215x210	75x225x38	39x122x46
S005 XLN PR	2x10	3,05	4,95	3,83	5,63	110,4	125-215x210	75x280x38	39x122x46
S006 XLN PR	2x11	3,34	5,54	4,42	6,22	112,4	125-215x210	75x310x38	39x122x46
S007 XLN PR	2x13	3,87	6,35	5,23	7,03	136,0	145-235x210	75x360x38	39x148x46
S008 XLN PR	2x15	4,41	7,17	6,05	7,85	160,0	145-235x215	75x415x45	39x154x46



Certificate
EN 1004
Norm



S006 XLN



		A (m.)	A1 (m.)	C (m.)	B (m.)	(kg.)	D (cm.)	E (cm.)	F (cm.)
S004 XLN	2x8	2,50	3,90	2,75	4,55	100,2	125-215x210	75x225x38	39x122x46
S005 XLN	2x10	3,05	4,95	3,83	5,63	105,4	125-215x210	75x280x38	39x122x46
S006 XLN	2x11	3,34	5,54	4,42	6,22	111	125-215x210	75x310x38	39x122x46
S007 XLN	2x13	3,87	6,35	5,23	7,03	132,8	145-235x210	75x360x38	39x148x46
S008 XLN	2x15	4,41	7,17	6,05	7,85	153,8	145-235x215	75x415x45	39x154x46



60x155 cm



İki Parçalı İskele

Double Part Scaffolding


Zweiteiliges Gerüst

Échafaudage à deux plans

Andamios de Dos Piezas



Телескопическая вышка-тура из двух модулей

TeleSafe



45x155 cm

MAX.
2,0 kN/m²





		A (m.)	A1 (m.)	C (m.)	B (m.)	(kg.)	D (cm.)	E (cm.)	F (cm.)
S004	2x8	2,50	3,90	2,75	4,55	78,2	125-215x210	60x225x38	39x122x46
S005	2x10	3,05	4,95	3,83	5,63	87	125-215x210	60x280x38	39x122x46
S006	2x11	3,34	5,54	4,42	6,22	89,4	125-215x210	60x310x38	39x122x46
S007	2x13	3,87	6,35	5,23	7,03	102,6	145-235x210	60x360x38	39x148x46
S008	2x15	4,41	7,17	6,05	7,85	140	145-235x215	60x415x45	39x154x46



Modüler Alüminyum İskele

Modular Aluminium Scaffolding
Modulares Aluminiumgerüst
Échafaudage en Aluminium Modulaire
Andamios Modulares de Aluminio
Модульная алюминиевая вышка-тура



		A (m.)	A1 (m.)	C (m.)	B (m.)	(kg.)	D (m.)	E (m.)	F (m.)
SM460	2x7=14	1,96	4,16	2,95	4,75	97,8	145-235x198	74x205x50	39x154x46
SM640	3x7=21	1,96	6,14	4,91	6,71	108,2	145-235x198	74x205x65	39x154x46



Çok Amaçlı İskele Merdiven



Multipurpose Scaffolding Ladder

Mehrzweckgerüsttreppen

Échelles Échafaudage Multifonction

Escalera de Andamio Multiusos

Многофункциональные лестничные подмости



		A (m.)	A1 (m.)	C (m.)	B (m.)	B1 (m.)	B2 (m.)	(kg.)	(WxLxH-cm.)
PL003	2x8=16	2,46	4,14	2,79	4,59	2,82	4,41	63,4	59x246x38



Лестничные подмости



45x155 cm



Katlanır Merdivenli İskele

Multipurpose Scaffolding Ladder


Mehrzweckgerüsttreppen

Échelles Échafaudage Multifonction

Escalera de Andamio Multiusos

Многофункциональная вышка-тура

Stella






Endüstriyel Platform
 Industrial Platform
 Industrielle Plattform
 Plateforme industrielle
 Plataforma industrial
 Промышленные Платформы



Certificate
EN 131-7
Norm



		A (cm.)	B (cm.)	C (cm.)	D (cm.)	(kg.)	(WxLxH-cm.)
EP2	2+1	75	255	75	120	45,6	80x147x65
EP3	3+1	100	280	78	138	51,2	80x166x65
EP4	4+1	125	305	80	155	57,0	84x197x65
EP5	5+1	150	330	83	173	62,2	85x226x65
EP6	6+1	175	355	86	190	67,2	85x260x65



Endüstriyel Platform

Industrial Platform

Plateforme industrielle


Industrielle Plattform

Plataforma industrial

Промышленные Платформы

EN 131-7

Norm




		A (cm.)	B (cm.)	C (cm.)	D (cm.)	(kg.)	
EPN2	2+1	75	255	75	120	45,6	87x121x186
EPN3	3+1	100	280	78	138	51,2	89x139x211
EPN4	4+1	125	305	80	155	57,0	91x157x236
EPN5	5+1	150	330	83	173	62,2	94x175x261
EPN6	6+1	175	355	86	190	67,2	98x193x286



Çift Çıkışlı Endüstriyel Platform
 Double Sided Industrial Platforms
 Doppelseitige Industriepattformen
 Plateforme Industrielle Double Montants
 Plataformas Industriales de Doble Cara
 Двухсторонние промышленные платформы



Certificate
EN 131-7
Norm



		A (cm.)	B (cm.)	C (cm.)	D (cm.)	(kg.)	(WxLxH-cm.)
EPC2	2+1	75	255	75	189	51,5	75x190x186
EPC3	3+1	100	280	78	225	61,5	78x226x211
EPC4	4+1	125	305	80	261	71,5	80x262x236
EPC5	5+1	150	330	83	297	81,5	83x298x261




Denge Ayaklı Endüstriyel Platform

Platform Ladder With Stabilizer
Industrieplattformen mit Gleichgewicht-fuss
Plateformes Industrielles Avec Pieds Stabilisateurs
Escalera de Plataforma con Estabilizador
Промышленные платформы со стабилизатором



Certificate
EN 131-7
Norm



		A (cm.)	B (cm.)	C (cm.)	D (cm.)	Kg.	(WxLxH-cm.)
EPL1000	3+1	100	280	190	149	76,5	125x149x200
EPL1250	4+1	125	305	190	167	80	125x167x225
EPL1500	5+1	150	330	190	185	85,5	125x185x250
EPL1750	6+1	175	355	190	204	90	125x204x275
EPL2000	7+1	200	380	190	221	94,5	125x221x300



Raf ve Depolama Platformu

Industrial ladders

Regal- und Lagerplattform


Plateforme de Rayonnage et de Stockage

Escaleras industriales


Промышленные лестницы



Certificate
EN 131-7
Norm



	A (m.)	B (m.)	C (m.)	(kg.)	(WxLxH-cm)
RD0012-1,0	1,0	2,0	2,8	35	100x100x200
RD0012-1,5	1,5	2,5	3,3	47	126x100x250
RD0012-2,0	2,0	3,0	3,8	56,6	150x100x302
RD0012-2,5	2,5	3,5	4,3	62,2	173x120x352
RD0012-3,0	3,0	4,0	4,8	73,6	196x120x402



Profesyonel Montaj Platformu


Mounting stands

Professionelle Montageleiter

Échelles de montage professionnelles

Soportes de montaje

Монтажные подставки



		A (cm.)	B (cm.)	C (m.)	(kg.)	(WxLxH-cm)
RD0015CK - 2	2	50	143	230	15,5	58x62x143
RD0015CK - 3	3	75	168	255	20,5	58x87x168
RD0015CK - 4	4	100	193	280	25,5	58x110x193





Yüksekliği Ayarlanabilir Platform

Adjustable Platform

Höhenverstellbare Plattform


Plateforme Réglable en Hauteur

Plataforma Ajustable

Регулируемая платформа

EN 131-7

Norm



	A (m.)	B (m.)	C (m.)	D (m.)	E (m.)	F (cm.)	(kg.)
YP250	2,48	3,18	4,28	1,75	2,10	60x76	327
YP300	3,05	4,05	5,15	1,75	2,33	60x76	335
YP400	4,00	6,00	7,10	2,10	3,75	60x91	537





Certificate
EN 131
Norm





Tek Parçalı Alüminyum Merdiven

Single Part Aluminium Ladder

Einteilige Aluminiumleiter


Échelle en aluminium à un plan

Escaleras de Aluminio de Pieza Única

Односекционные алюминиевые лестницы



Certificate
EN 131
Norm



		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
T6020	6	1,88	2,60	3,2	41x188x6,3
T6025	8	2,44	3,10	4,2	41x244x6,3
T0030	10	2,97	3,60	6,2	41x297x7,5
T0035	12	3,54	4,10	8,2	41x354x7,5
T0040	14	4,09	4,60	9,2	41x409x7,5
T0045	15	4,39	4,90	10,0	41x439x7,5
T0050	17	4,95	5,40	11,6	41x495x7,5
T10055	19	5,52	5,90	16,2	41x552x10
T10060	21	6,05	6,40	17,4	41x605x10



İki Parçalı Alüminyum Merdiven

Double Part Extension Aluminium Ladder

Zweiteilige Aluminiumleiter


Échelle Formée De Deux Plans

Escaleras Extensibles de Aluminio con Dos Partes

Двухсекционные алюминиевые выдвижные лестницы



Certificate
EN 131
Norm



		A (m.)	A1 (m.)	B (m.)	(kg.)	(WxLxH-cm.)
TS6040	2x6	1,88	3,00	3,60	7,2	41x188x11,5
TS6050	2x8	2,44	4,12	4,70	9,4	41x244x11,5
TS6	2x10	2,97	4,93	5,50	13,4	41x297x13,0
TS7	2x12	3,54	6,06	6,50	16,2	41x354x13,0
TS8	2x14	4,09	6,89	7,30	18,2	41x409x13,0
TS9	2x15	4,39	7,47	7,80	19,8	41x439x13,0
TS10010	2x17	4,95	8,59	8,90	27,4	41x495x17,0
TS10011	2x19	5,52	9,72	9,90	31,4	41x552x17,0
TS10012	2x21	6,05	9,97	10,20	33,6	41x605x17,0



İki Parçalı Çok Amaçlı Alüminyum Merdiven

Double Part Combination Aluminium Ladder

Zweiteilige Aluminium-Mehrzweckleiter


Échelle Multi-Fonction Formée De Deux Plans

Escaleras de Multiusos de Aluminio con Dos Partes

Двухсекционные алюминиевые лестницы-стремянки



Certificate
EN 131
Norm



		A (m.)	B (m.)	C (m.)	B1 (m.)	A1 (m.)	B2 (m.)	(kg.)	(WxLxH-cm.)
TSA4	2x6	1,88	2,60	1,78	2,56	3,00	3,70	10,6	41x188x13
TSA5	2x8	2,44	3,10	2,30	3,08	4,12	4,80	12,6	41x244x13
TSA6	2x10	2,98	3,60	2,81	3,61	4,93	5,80	14,6	41x298x13
TSA7	2x12	3,55	4,10	3,35	4,14	6,06	6,80	17,8	41x355x13
TSA8	2x14	4,10	4,60	3,86	4,66	6,89	7,60	18,4	41x410x13



İki Parçalı Çok Amaçlı Alüminyum Merdiven

Double Part Combination Aluminium Ladder

Zweiteilige Aluminium-Mehrzweckleiter

Échelle Multi-Fonction Formée De Deux Plans


Escaleras de Multiusos de Aluminio con Dos Partes

Двухсекционные алюминиевые лестницы-стремянки

DUOMAX

EN 131

Norm



		A (m.)	B (m.)	C (m.)	B1 (m.)	A1 (m.)	B2 (m.)	(kg.)	(WxLxH-cm.)
TSA55	2x6	1,88	2,60	1,78	2,56	3,00	3,70	8,4	41x188x12
TSA65	2x8	2,44	3,10	2,30	3,08	4,12	4,80	10,2	41x244x12
TSA85	2x9	2,72	3,33	2,55	3,33	4,68	5,19	11,0	41x272x12
TSA95	2x10	2,98	4,10	2,79	3,59	4,94	5,46	12,0	41x298x12



Üç Parçalı Sürgülü Alüminyum Merdiven

Triple Part Extension Aluminium Ladder

Dreiteilige Aluminium-Schiebeleiter


Échelle en aluminium coulissante à trois plans

Escaleras Extensibles de Aluminio con Tres Partes

Трехсекционные алюминиевые выдвижные лестницы



Certificate
EN 131
Norm



MAX.
150 Kg.

		A (m.)	A1 (m.)	B1 (m.)	(kg.)	(WxLxH-cm.)
TS6060	3x6	1,88	4,12	4,70	11,2	48x188x16
TS075	3x8	2,43	5,79	6,30	17,2	48x243x18
TS090	3x10	2,97	6,89	7,30	20,4	48x297x18
TS105	3x12	3,54	8,58	8,90	24,2	48x354x18
TS120	3x14	4,09	9,69	9,90	34,6	48x409x21



Üç Parçalı Çok Amaçlı Alüminyum Merdiven

Triple Part Combination Aluminium Ladder

Dreiteilige Mehrzweck-Aluminiumleiter


Échelle en Aluminium Coulissante à Trois Plans Multifonction

Escaleras de Multiusos de Aluminio con Tres Partes

Трехсекционные алюминиевые лестницы-стремянки



Certificate
EN 131
Norm




		A (m.)	B (m.)	C (m.)	B1 (m.)	D (m.)	B2 (m.)	B3 (m.)	(kg.)	(WxLxH-cm.)
TS6160	3x6	1,88	2,60	1,77	2,60	2,84	3,40	4,40	12,2	48x188x16
TS175	3x8	2,44	3,10	2,30	3,10	3,90	4,40	6,00	17,8	48x244x19
TS190	3x10	2,98	3,60	2,81	3,60	4,67	5,20	7,10	21,0	48x298x19
TS205	3x12	3,55	4,10	3,34	4,10	5,73	6,20	8,70	24,2	48x355x19
TS220	3x14	4,10	4,60	3,86	4,60	6,51	7,00	9,70	36,4	48x410x25



EN 131

Norm



		A (m.)	B (m.)	C (m.)	B1 (m.)	D (m.)	B2 (m.)	A1 (m.)	B3 (m.)	(kg.)	(WxLxH-cm.)
TS165	3x8	2,44	3,10	2,30	3,10	3,90	4,40	5,80	6,00	13,5	48x244x17
TS185	3x9	2,72	3,38	2,56	3,36	4,15	4,65	6,08	6,28	16,6	48x275x17
TS195	3x10	2,98	3,60	2,81	3,60	4,67	5,20	6,90	7,10	17,0	48x298x17




İpli Makaralı Alüminyum Merdiven

Rope & Pulley Operated Aluminium Ladders
Aluminiumleiter mit Drahtseil mit Riemenscheibensystem
Échelle en aluminium avec corde et poulie
Escaleras de Aluminio Operadas por Cuerda y Polea
Двухсекционные алюминиевые лестницы с тросом



Certificate
EN 131
Norm



			A (m.)	B (m.)	A1 (m.)	B1 (m.)	(kg.)	(WxLxH-cm.)
M1006	2x10		2,97	3,60	4,93	5,50	15,5	41x297x13
M1007	2x12		3,54	4,10	6,06	6,50	16,0	41x354x13
M1008	2x14		4,09	4,60	6,89	7,30	18,5	41x409x13
M1009	2x15		4,37	4,90	7,50	7,80	25,0	41x437x17
M10010	2x17		4,95	5,40	8,59	8,90	29,0	41x495x17
M10011	2x19		5,52	5,90	9,72	9,90	31,5	41x552x17
M10012	2x21		6,05	6,40	10,28	10,50	35,0	41x605x17



A Tipi Platformlu Alüminyum Merdiven

A Type Platformed Aluminium Ladders

Typ A-Plattformleiter

Échelle à plateforme de type A

Escaleras de Aluminio con Plataforma de Tipo A

Двухсекционные лестницы-стремянки с платформой

EN 131

Norm



		A (m.)	B (m.)	C (m.)	(kg.)	(WxLxH-cm.)
A3	8+1	2,98	2,40	3,60	18,2	41x298x20
A4	12+1	4,10	3,47	4,60	23,0	41x410x20
A5	15+1	4,94	4,27	5,50	35,6	41x494x20
A6	19+1	6,03	5,35	6,60	48,4	41x603x20



A Tipi Çift Taraflı Alüminyum Merdiven

A Type Double Sided Extensional Aluminium Ladders


Typ A- Aluminiumleiter mit Plattform

Échelle coulissante à double montants de type A

Escaleras Extensibles de Aluminio con Doble Cara de Tipo A


Двухсекционные телескопические лестницы

EN 131
Norm



MAX.
150 Kg.

		A (m.)	B (m.)	C (m.)	(kg.)	(WxLxH-cm.)
TA002	2x6	1,88	2,92	3,60	22,6	41x188x29
TA003	2x10	2,98	4,79	5,50	29,6	41x298x29
TA004	2x14	4,10	6,77	7,30	36,2	41x410x29







Çok Amaçlı Merdiven
Multipurpose Ladder
Mehrzweckleiter
Échelle multifonction
Escaleras con bisagras
Шарнирные лестницы- стремянки



Certificate

EN131-4

Norm



		A (m.)	B (m.)	C (m.)	D (m.)	E (m.)	(kg.)	(WxLxH-cm.)
AK011-P*	4x3=12	3,52	1,70	0,91	0,96	0,75	17,0	36x94,5x27,5
AK011	4x3=12	3,52	1,70	-	0,96	0,75	13,6	36x94,5x27,5
AK016	4x4=16	4,62	2,21	-	1,23	0,75	15,5	38x113x27,5

*AK011-P platformlu

*AK011-P with Decking Components

*AK011-P mit Terrassenkomponenten

*AK011-P avec composants de terrasse

*AK011-P con componentes de plataforma

*AK011-P с элементами настила



TeleSky Çok Amaçlı Alüminyum Katlanır Merdiven

TeleSky Multipurpose Aluminium Folding Ladder

TeleSky Mehrzweck-Aluminium-Klappleiter



Échelle en aluminium pliante multifonction TeleSky

TeleSky Escaleras Plegables de Multiusos de Aluminio

Шарнирные телескопические лестницы TeleSky



Certificate
EN 131-4
Norm



			A (m.)	B (m.)	C (m.)	(kg.)	
CK250	3x4		2,48	0,93	1,20	11,5	66x100x21
CK360	4x4		3,60	1,20	1,73	13,2	78x128x21
CK470	5x4		4,72	1,46	2,26	16,8	86x156x21





Toros Çok Amaçlı Alüminyum Katlanır Merdiven

Toros Multipurpose Aluminium Folding Ladder

Échelle en aluminium pliante multifonction Toros

Toros Mehrzweck-Aluminium-Klappleiter

Toros Escaleras Plegables de Multiusos de Aluminio


Шарнирные телескопические лестницы Toros

EN 131

Norm



		A (m.)	B (m.)	C (m.)	(kg.)	(WxLxH-cm.)
CK305T	3x4	3,05	0,94	1,48	9,6	66x101x21
CK417T	4x4	4,17	1,21	2,00	11,8	66x129x21
CK530T	5x4	5,30	1,47	2,50	14,0	66x157x21
CK580T	6x4	5,85	1,74	2,80	15,8	66x185x21



Smart Level Sürgülü Alüminyum Merdiven

Smart Level Extension Aluminium Ladder

Smart Level Zweiteilige Aluminiumleiter


Smart Level Échelle Formée De Deux Plans

Smart Level Extensibles de Aluminio con Dos Partes


Smart Level Двухсекционные алюминиевые выдвижные



Certificate
EN 131
Norm



		A (m.)	A1 (m.)	B1 (m.)	(kg.)	(WxLxH-cm.)
PRO_3x8	3x8	2,45	5,25	5,75	23,8	50x245x18
PRO_3x10	3x10	3,01	6,93	7,32	25,0	50x301x18
PRO_3x12	3x12	3,57	8,61	8,90	28,4	50x357x18



		A (m.)	A1 (m.)	B (m.)	(kg.)	(WxLxH-cm.)
PRO_2x8	2x8	2,45	4,13	4,67	15,4	43x245x12
PRO_2x10	2x10	3,01	4,97	5,46	17,6	43x301x12
PRO_2x12	2x12	3,57	6,09	6,52	19,8	43x357x12



Alüminyum Katlanır Merdiven

Folding Aluminium Ladders

Aluminium-Klappleiter


Échelle Pliante en Aluminium

Escaleras Plegables de Aluminio

Алюминиевые складные лестницы

EN 131

Norm



MAX.

150 Kg.


		A (m.)	B (m.)	C (m.)	(kg.)	(WxLxH-cm.)
K2	2x3	1,12	1,04	2,15	5,4	41x112x13
K3	2x5	1,62	1,51	3,15	7,6	41x162x13
K4	2x6	1,95	1,82	3,81	8,6	41x195x13



Hazar Alüminyum Merdiven
Hazar Aluminium Ladder
Hazar Aluminiumleiter
Échelle En Aluminium Hazar
Escaleras profesionales de aluminio Hazar
Профессиональные алюминиевые стремянки Hazar



Certificate
EN 131
Norm



		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
HA102	2+1	0,67	2,47	4,4	45x141x15
HA103	3+1	0,93	2,73	5,2	47x168x15
HA104	4+1	1,19	2,99	6,2	50x201x15
HA105	5+1	1,45	3,25	7,0	53x224x15
HA106	6+1	1,71	3,51	8,0	56x251x15





Everest Pro Çift Taraflı Alüminyum Merdiven

Everest Pro Double Side Aluminium Ladders

Everest Doppelseitige Aluminiumleiter


Échelle En Aluminium À Double Montants Everest Pro

Everest Escaleras de Aluminio con Doble Cara

Профессиональные двусторонние стремянки Everest-Pro



Certificate
EN 131
Norm



		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
EVR-PR02	2	0,50	2,05	3,5	39x57x18,5
EVR-PR03	3	0,75	2,30	5	41x84x18,5
EVR-PR04	4	1,00	2,55	6,5	44x111x18,5
EVR-PR05	5	1,25	2,80	7	48x138x18,5
EVR-PR06	6	1,50	3,05	8,5	50x165x18,5
EVR-PR07	7	1,75	3,30	10,5	52x192x18,5
EVR-PR08	8	2,00	3,55	12	54x219x18,5
EVR-PR09	9	2,25	3,80	13,5	57x246x18,5
EVR-PR010	10	2,50	4,05	15,5	60x273x18,5



Alesta Profesyonel Portatif Merdiven

Alesta Professional Aluminium Step Ladders

Alesta Professionelle Aluminiumleiter


Échelle en aluminium Professionnelle Alesta

Escaleras profesionales de aluminio Alesta

Профессиональные алюминиевые стремянки Alesta



EN 131
Norm



		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
REG2	2+1	0,75	2,55	7,0	51x166x20
REG3	3+1	1,00	2,80	10,5	54x193x20
REG4	4+1	1,25	3,05	11,5	56x220x20
REG5	5+1	1,50	3,30	13,5	59x247x20
REG6	6+1	1,75	3,55	15,0	61x274x20
REG7	7+1	2,00	3,80	16,5	64x300x20
REG8	8+1	2,25	4,05	18,0	67x328x20
REG9	9+1	2,50	4,30	19,0	69x355x20
REG10	10+1	2,75	4,55	21,5	72x382x20



Tekerlekli Profesyonel Platform

Professional Platform With Wheeled

Professionelle Plattform Mit Rädern


Plateforme Professionnelle Avec Roues

Escalera Móvil Con Plataforma

Передвижные лестницы с платформой

EN 131-7

Norm



		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
VE2	2+1	0,75	2,55	14,5	74x171x30
VE3	3+1	1,00	2,80	17,5	76x198x30
VE4	4+1	1,25	3,05	18,5	79x225x30
VE5	5+1	1,50	3,30	21,0	82x252x30
VE6	6+1	1,75	3,55	22,0	84x279x30
VE7	7+1	2,00	3,80	24,0	87x306x30






Katlanır Platformlu Merdiven Folding Platform Ladder Klappplattformleiter Échelle à Plateforme Pliante Escaleras Plegables de Plataforma Передвижные лестницы с платформой



EN 131-7
Norm




		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
KP3	3+1	1,07	2,87	20,0	77x231x66
KP4	4+1	1,35	3,15	24,0	77x260x66
KP5	5+1	1,61	3,41	27,0	77x290x66
KP6	6+1	1,88	3,68	30,5	77x320x66
KP7	7+1	2,15	3,95	34,0	77x350x66
KP8	8+1	2,38	4,18	37,0	77x372x66
KP9	9+1	2,65	4,45	41,0	77x400x66
KP10	10+1	2,91	4,71	43,5	77x430x66
KP11	11+1	3,16	4,96	48,0	77x460x66
KP12	12+1	3,30	5,10	51,5	77x487x66
KP13	13+1	3,75	5,55	55,0	77x525x66



TelePro Teleskopik Plattformlu Merdiven
TelePro Folding Platform Ladders
TelePro Teleskopplattformleiter
Échelle à plateforme télescopique TelePro
Escaleras Plegables de Plataforma TelePro
Телескопическая лестница-платформа TelePro



Certificate
EN 131-7
Norm



		A (m.)	B (m.)	C (m.)	D (m.)	E (m.)	(kg.)	(WxLxH-cm.)
TP200	5x2	1,49	2,00	3,80	0,99	2,03	38,0	99x282x30
TP250	6x2	1,76	2,50	4,30	0,99	2,41	41,8	99x319x30



Profesyonel Bahçe Merdiveni

Professional Garden Ladder

Professioneller Garten Leiter

Échelle Professionnelle De Jardin

Escaleras Profesionales de Jardín

Профессиональные садовые лестницы

EN 131

Norm




		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
BM30	10	3,0	4,0	12	42x302x15
BM35	12	3,5	4,5	14	42x359x15
BM40	14	4,0	5,0	16	42x414x15
BM45	15	4,5	5,5	18	42x458x15



A Tipi Çift Taraflı Fiberglas Merdiven
A Type Double Sided Fiberglass Ladders
Typ-A Doppelseitige Fiberglas Leiter
Échelle En Fibre De Verre A Double Montants De Type A
Escalera Dieléctricas De Double Parte De Tipo A
Диэлектрическая двухсторонняя стремянка

EN 131
Norm



MAX.
150 Kg.



		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
BFC4	2x4	1,00	2,55	8,4	47x112x20
BFC6	2x6	1,50	3,05	12,6	50x165x20
BFC8	2x8	2,00	3,55	16,8	55x219x20
BFC10	2x10	2,50	4,05	20,6	60x273x20
BFC12	2x12	3,00	4,55	24,8	65x327x20





İki Parçalı Çok Amaçlı Fiberglas Merdiven

Double Part Combination Fiberglass Ladders


Zweiteilige Mehrzweck-Fiberglasleiter

Fibre de Verre à Multi-Fonction Deux Plans

Escalera Dieléctricas De Double Parte

Двухсекционные диэлектрические лестницы-стремянки

EN 131
Norm



		A (m.)	A1 (m.)	B (m.)	(kg.)	(WxLxH-cm.)
FS5	2x8	2,40	4,05	4,80	16	41x242x14
FS6	2x10	3,00	4,92	5,80	19	41x302x14
FS7	2x12	3,50	6,30	6,80	27	41x352x20
FS8	2x14	4,10	7,15	7,60	30	41x412x20
FS9	2x16	4,60	8,00	8,60	35	41x462x20



Üç Parçalı Çok Amaçlı Fiberglas Merdiven

Triple Part Combination Fiberglass Ladder

Dreiteilige Mehrzweck-Fiberglasleiter


Fibre de Verre à Multi-Fonction Trois Plans

Escalera Dieléctricas De Double Parte


Трехсекционные диэлектрические лестницы-стремянки



EN 131
Norm



		A (m.)	B (m.)	C (m.)	B1 (m.)	B2 (m.)	(kg.)	(WxLxH-cm.)
FS175	3x8	2,40	3,00	3,90	4,40	5,95	22,5	48x242x20
FS190	3x10	3,00	3,60	4,67	5,20	7,65	34,5	48x302x20
FS205	3x12	3,50	4,10	5,73	6,20	8,50	39,5	48x352x20
FS220	3x14	4,10	4,70	6,51	7,00	10,45	45,0	48x412x20








Olimpos Çift Çıkışlı Alüminyum Merdiven
Olimpos Double Sided Aluminium Stepladder
Olimpos Aluminiumleiter mit Doppelseitigem Gang
Échelle Double Montants Olimpos
Olimpos Escalera de Doble Cara de Aluminio
Двухсторонние стремянки Olimpos



Certificate
EN 131
Norm



A



MAX.
150 Kg.

		A (m.)	(kg.)	(WxLxH-cm.)
OL2	2	0,39	2,1	39x44x18
OL3	3	0,62	2,9	42x67x18
OL4	4	0,84	4,3	44x90x18
OL5	5	1,06	5,1	47x114x18
OL6	6	1,29	6,2	49x137x18
OL7	7	1,51	7,2	51x161x18




Bergama Tablalı Alüminyum Merdiven

Bergama Aluminium Stepladder
Bergama Aluminiumleiter mit Platte
Échelle à Plateau Bergama
Escalera de Aluminio Bergama
Алюминиевые стремянки Bergama



Certificate
EN 131
Norm




		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
BG2	2+1	0,60	2,40	3,4	43x128x12
BG3	3+1	0,82	2,62	4,0	45x151x12
BG4	4+1	1,04	2,84	4,8	47x175x12
BG5	5+1	1,26	3,06	5,4	49x198x12
BG6	6+1	1,48	3,28	6,2	51x221x12





EN 14183



25x37 cm

		A (m.)	B (m.)	(kg.)	(WxLxH-cm.)
WR2061	2	0,48	2,3	5,3	45x98x10
WR2062	3	0,72	2,5	6,5	45x138x10
WR2462	4	0,96	2,8	8,8	45x157x10

Makaslı Çatı Merdiveni


Steel Scissors Loft Ladder

Dachleiter mit Schere

Escalier Escamotable en Ciseaux

Escalera de Tijero de Acero para Desván


Раздвижная чердачная лестница Ножничная



AxB

70x80 cm.
70x90 cm.
70x100 cm.
70x110 cm.

Max 2.80 m.



Ahşap Çatı Merdiveni


Wooden Folding Loft Ladders

Faltbare Holz-Dachleiter

Échelle de toit pliante en bois

Escaleras Plegables de Madera para Desván


Складная чердачная лестница из бука



AxB

60x110 cm.
60x120 cm.
70x110 cm.
70x120 cm.

Max 2.80 m.









You imagine, we make it real !

Havacılık Sektörü Çözümleri


Solutions For The Aviation Industry

Aviation Access-Lösungen

Solutions d'accès à l'aviation

Soluciones para la industria de la aviación

Решения для доступа к авиации





Havacılık Sektörü Çözümleri

Solutions For The Aviation Industry

Aviation Access-Lösungen

Solutions d'accès à l'aviation

Soluciones para la industria de la aviación

Решения для доступа к авиации



Raylı Sistem Çözümleri


Solutions for the railway industry

Schienensystemlösungen

Solutions de système ferroviaire

Soluciones para la industria ferroviaria.

Решения для железнодорожных систем





Raylı Sistem Çözümleri
Solutions for the railway industry
Schienensystemlösungen
Solutions de système ferroviaire
Soluciones para la industria ferroviaria
Решения для железнодорожных систем



Endüstriyel Tesis Çözümleri


Industrial & Outdoor Solutions

Industrie & Anlagenbau

Installations industrielles et extérieures

Soluciones industriales y exteriores

Промышленные и наружные решения





Endüstriyel Tesis Çözümleri
Industrial & Outdoor Solutions
Industrie & Anlagenbau
Installations industrielles et extérieures
Soluciones industriales y exteriores
Промышленные и наружные решения



Endüstriyel Tesis Çözümleri


Industrial & Outdoor Solutions

Industrie & Anlagenbau

Installations industrielles et extérieures

Soluciones industriales y exteriores

Промышленные и наружные решения





Endüstriyel Tesis Çözümleri
Industrial & Outdoor Solutions
Industrie & Anlagenbau
Installations industrielles et extérieures
Soluciones industriales y exteriores
Промышленные и наружные решения



Endüstriyel Tesis Çözümleri


Industrial & Outdoor Solutions

Industrie & Anlagenbau

Installations industrielles et extérieures


Soluciones industriales y exteriores

Промышленные и наружные решения





Endüstriyel Tesis Çözümleri
Industrial & Outdoor Solutions
Industrie & Anlagenbau
Installations industrielles et extérieures
Soluciones industriales y exteriores
Промышленные и наружные решения



Güvenlik Kafesli Merdivenler


Fixed Ladders

Feste Leitern

Échelles fixes

Escaleras fijas

Фиксированные лестницы





Güvenlik Kafesli Merdivenler

Fixed Ladders

Feste Leitern

Échelles fixes

Escaleras fijas

Фиксированные лестницы



Raf Merdiveni

Shelf Ladders & Stock Area Ladders

Regaltreppen

Échelles de rayonnage

Escaleras de almacén

Складские лестницы





Alüminyum Pasarella
Aluminium Pasarella
Aluminium Laufplanke
Passerelle en Aluminium
Pasarella de Aluminio
Алюминиевый мостик

EN 131-7
Norm

